

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

Index 39-43 ✓

F. Kellogg

U. S. HORTICULTURAL STATION
RECEIVED
☆ MAR 27 1941 ☆
LIBRARY
BELTSVILLE, MARYLAND

THE PLANT DISEASE REPORTER

Issued By

**The Office of Plant Disease Survey
and
Pathological Collections**

Supplement 44

Index to Supplements 39-43

November 1, 1925

BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE

INDEX OF ORGANISMS AND NON-PARASITIC DISEASES

IN

PLANT DISEASE REPORTER

SUPPLEMENTS XXXIX - XLIII, 1925

Plant Disease Reporter

Supplement 44

November 1, 1925

Prepared by Mary G. Van Meter

Acanthorhynchus vaccinii, cranberry, 87.

Actinomyces scabies, beet, 306.
potato, 203.
sugar beet, 305.

Actinonema rosae, (see *Diplocarpon rosae*), 360.

Aecidium aesculi, Texas buckeye, 328.
sp., sweet acacia, 326.

Albication, Canada hemlock, 322.

Albugo bliti, *Amaranthus blitoides*, 367.

Chenopodium album, 371.

Chenopodium sp., 371.

candida, *Boerhaavia erecta*, 369.

Bursa bursa-pastoris, 370.

horseradish, 263.

kale, 261.

mustard, 262.

radish, 263.

Sisymbrium altissimum, 378.

turnip, 262.

ipomoeae-panduranae, sweet potato, 241.

tragopogonis, *Ambrosia elatior*, 368.
salsify, 311.

Alternaria brassicae, cabbage, 257.

cauliflower, 260.

citri, citrus, 92, 94.

herculea, horseradish, 262.

turnip, 262.

oats, 159.

radicina, carrot, 306.

solani, eggplant, 307.

potato, 195, 201, 394.

Solanum nigrum, 378.

tomato, 223, 398.

sp., apple, 33.

cherry, 62.

citrus, 94.

coconut, 105.

cotton, 289.

Echinocystis lobata, 372.

nasturtium, 356.

onion, 250.

plumosa palm, 337.

Sonchus oleraceus, 378.

soybean, 186.

zinnia, 367.

Amerosporium oeconomicum, cowpea, 185.

Aphanomyces euteiches, pea, 194, 195, 283.

Aphelenchus ormerodis, begonia, 346.

Aplanobacter michiganense, tomato, 196, 233.

rhizoctonia, lettuce, 279.

stewartii, corn, 167.

Armillaria mellea, apple, 31.

blackberry, 82.

Canada hemlock, 322.

cherry, 62.

citrus, 94.

grape, 66.

mulberry, 334.

- peach, 53.
 pear, 40.
 pitch pine, 325.
 red oak, 335.
 sassafras, 340.
 white oak, 335.
 white pine, 325.
Ascochyta gossypii, cotton, 194, 196, 288.
Hibiscus lasiocarpus, 289.
Hibiscus militaris, 289.
 hydrangeae, hydrangea, 353.
 imperfecta, alfalfa, 179.
 clover, 108, 183.
 lycopersici, eggplant, 307.
 meliloti, sweet clover, 184.
 rhei, rhubarb, 196, 210.
 sp., hydrangea, 353.
 Viola sp., 380.
 syringae, lilac, 355.
Aspergillus niger, onion, 250.
 sp., fig, 100.
Asterina nuda, Canada hemlock, 322.
- B
- Bacillus amylovorus*, apple, 23, 403.
 apricot, 63.
 hawthorn, 331.
 mountain ash, 327.
 pear, 37, 406.
 plum, 3, 58.
 prairie crab, 330.
 prune, 58.
 quince, 42.
 aroideae, tomato, 195, 235.
 cacticidus, *Opuntia* spp., 375.
 carotovorus, cabbage, 257.
 cactus, 370.
 calla, 347.
 carrot, 307.
 celery, 275.
 iris, 354.
 radish, 263.
 coli, (see *Phytophthora faberi*), 104.
 phytophthorus, potato, 193, 196, 207, 392.
 sorghi, sorghum, 172.
 sp., calla, 347.
 tracheiphilus, cantaloupe, 194, 264.
 cucumber, 194, 266.
 squash, 270.
 watermelon, 270.
 Bacterial canker, swiss chard, 312.
 Bacterial disease, lettuce, 278.
 Bacterial leaf spot, barberry, 346.
 corn, 168.
 Kudzu bean, 354.
 lettuce, 279.
 pumpkin, 272.
 Bacterial rot, lettuce, 279.
 Bacterial slime disease, lettuce, 280.
 Bacterial spot, soybean, 186.
 Bacterial stem girdle, lettuce, 195, 280.
 Bacterial wilt, cosmos, 349.
 nasturtium, 356.
Bacterium angulatum, tobacco, 194, 196, 292.
 apii, celery, 272.
 atrofaciens, wheat, 109, 140.
 campestre, brussels sprouts, 261.
 cabbage, 254.
 cauliflower, 259.
 collard, 262.
 kale, 260.
 radish, 263.
 rutabaga, 262.
 cannae, canna, 347.
 cerasi, cherry, 62.
 citrarafaciens, citrus, 94.
 citri, citrus, 91.
 coronafaciens atropurpureum, *Avena* barbata, 188.
 Avena fatua, 188.
 Avena sterilis, 188.
 Bromus sp., 188.
 coronafaciens, oats, 159.
 delphinii, delphinium, 350.
 dissolvens, corn, 168.
 erodii, geranium, 351.
 Geranium sanguineum, 372.
 flaccumfaciens, bean, 246.
 glycineum, soybean, 109, 186.
 gummisudans, gladiolus, 351.
 lachrymans, cantaloupe, 265.
 cucumber, 196, 266.
 pumpkin, 195.
 squash, 271.
 maculicolum, cabbage, 196, 258.
 cauliflower, 196, 260.
 malvacearum, cotton, 287, 399.
 marginatum, gladiolus, 351.
 martyniae, unicorn plant, 367.
 medicaginis, alfalfa, 176.

- mori, mulberry, 86.
- musae, banana, 99.
- phaseoli, bean, 194, 244, 400.
- lima bean, 248.
- Strophostyles helvola, 195, 245, 379.
- phaseoli sojense, soybean, 186.
- pisi, pea, 194, 196, 284.
- pruni, apricot, 63.
- black sloe plum, 338.
- cherry, 62.
- peach, 47.
- plum, 57.
- prune, 57.
- Prunus umbellata, 57.
- solanacearum, eggplant, 307.
- pepper, 309.
- potato, 212.
- tobacco, 294.
- tomato, 233, 398.
- sp., Jerusalem artichoke, 305.
- potato, 220.
- tabacum, tobacco, 290.
- translucens, barley, 109, 145, 152.
- translucens secalis, rye, 145.
- translucens undulosum, barley, 145.
- rye, 145.
- spelt, 145.
- wheat, 137, 145.
- trifoliorum, clover, 108, 183.
- tumefaciens, apricot, 63.
- apple, 28.
- blackberry, 82.
- cherry, 62.
- grape, 68.
- peach, 53.
- pear, 40.
- pecan, 103.
- persimmon, 101.
- quince, 42.
- raspberry, 77.
- rose, 360.
- sugar beet, 305.
- willow, 341.
- vascularum, sugar cane, 301.
- vesicatorium, pepper, 309.
- tomato, 233.
- vignae, cowpea, 185.
- Desmodium canescens, 185.
- lima bean, 248.
- velvet bean, 108, 187.
- viridifaciens, lima bean, 248.
- vitians, lettuce, 196, 279.
- Bastard blossom, periwinkle, 358.
- watermelon, 270.
- Boloniella dehnii, Potentilla monspeliensis, 377.
- Bitter pit, apple, 27.
- Black heart, celery, 275.
- potato, 219.
- Black melanose (see greasy spot), 96.
- Blackpit, pecan, 103.
- Blast, oats, 155.
- wheat, 140.
- Blossom drop, tomato, 236.
- Blossom-end rot, tomato, 234.
- Bordeaux injury, cranberry, 87.
- Botryosphaeria ribis, currant, 84.
- Rosa setipoda, 360.
- rose, 360.
- Botrytis allii, onion, 250.
- cinerea, citrus, 94.
- lilac, 355.
- pear, 40.
- peony, 357.
- rose, 360.
- squash, 271.
- globe artichoke, 308.
- paeoniae, peony, 357.
- sp., asparagus, 305.
- babysbreath, 345.
- blueberry, 88.
- carnation, 347.
- carrot, 307.
- clover, 183.
- cranberry, 87.
- crimson clover, 183.
- dahlia, 349.
- delphinium, 350.
- eggplant, 307.
- golden seal, 352.
- gooseberry, 85.
- huckleberry, 88.
- leopard lily, 355.
- lettuce, 276.
- narcissus, 356.
- onion, 250.
- Pagoda dogwood, 330.
- peach, 54.
- pepper, 309.
- periwinkle, 358.
- raspberry, 80.
- snowball, 364.
- strawberry, 71, 72.
- tulip, 366.
- spp., peony, 357.

rose, 360.
 tulipae, tulip, 366.
Brachysporium, oats, 159.
Bremia lactucae, lettuce, 276.
Sonchus oleraceus, 378.
 Brittle, onion, 195, 251.
 Brown rootrot, tobacco, 294.
 Brown stem, celery, 275.
 Bud dropping, camellia, 347.
 Bulb sterilization, narcissus, 356.

C

Calico, potato, 219.
Calyptospora columnaris, Alpine fir, 321.
Vaccinium ovalifolium, 380.
Vaccinium parvifolium, 380.
 sp., blueberry, 88.
 mountain cranberry, 88.
Capnodium citricolum, citrus, 95.
 sp., cape jasmine, 354.
Cerangium abietis, western yellow pine, 324.
balsameum abietinum, Canada hemlock, 322.
Cephaleuros virescens, avocado, 98.
 camphor-tree, 328.
 citrus, 94.
 jessamine, 354.
Cephalosporium acremonium, corn, 168.
Cephalothecium roseum, apple, 33.
 pear, 41.
 pecan, 103.
Cercospora althaeina, cotton, 195, 289.
 hollyhock, 353.
 ampelopsidis; ampelopsis, 344.
 Virginia creeper, 344.
 angulata, currant, 84.
 apii carotae, carrot, 307.
 apii, celery, 273.
 apii pastinacae, parsnip, 309.
 armoraciae, horseradish, 263.
 atro-marginalis, *Solanum nigrum*, 378.
 avicularis, *Polygonum erectum*, 376.
 beticola, beet, 306.
 sugar beet, 305.
 swiss chard, 312.
 bloxami, cabbage, 196, 258.
 boehmeriae, *Boehmeria cylindrica*, 369.
 bolleana, fig, 100.
 capsici, pepper, 309.

caulicola, asparagus, 305.
citrullina, watermelon, 270.
clavata, *Asclepias syriaca*, 369.
concors, potato, 196, 220.
cornicola, dogwood, 330.
cruenta, bean, 246.
 cowpea, 185.
cucurbitae, cantaloupe, 265.
davisii, *Melilotus alba*, 184, 374.
 sweet clover, 184.
diantherae, *Dianthera americana*, 371.
echinocystis, *Echinocystis lobata*, 372.
elephantopodis, *Elephantopus carolinianus*, 372.
fici, fig, 100.
flagelliformis, spinach, 196, 311.
fraxinites, white ash, 327.
fusca, pecan, 103.
hydrocotyles, *Hydrocotyle* sp., 373.
lilacis, lilac, 355.
lythracearum, crapemyrtle, 349.
mali, apple, 2, 33.
medicaginis, alfalfa, 179.
 clover, 183.
moricola, mulberry, 86.
nicotianae, tobacco, 295.
personata, peanut, 309.
pulvinulata, American beautyberry, 346.
racemosa, *Ambrosia trifida*, 368.
 Teucrium canadense, 379.
rosicola, rose, 360.
rubi, raspberry, 80.
sordida, *Bignonia radicans*, 369.
 sp., *Amaranthus retroflexus*, 367.
 asparagus, 196, 305.
 avocado, 98.
 Aztec dahlia, 349.
 bean, 196.
 blackberry, 82.
 Boston fern, 351.
 bushy arctotis daisy, 350.
 Chinese fan palm, 337.
 common sword fern, 351.
 crapemyrtle, 349.
 Desmodium tortuosum, 371.
 Echinocystis lobata, 372.
 fig, 100.
 hollyhock, 353.
 house Hydrangea, 353.
 Hydrocotyle sp., 373.

- jessamine, 354.
 lettuce, 280.
 Mexican Washington palm, 337.
 New Zealand spinach, 312.
 parsley, 309.
 pear, 41.
 perpetual begonia, 346.
 persimmon, 101.
 petunia, 358.
 smilax, 363.
 snapweed, 346.
 soybean, 186.
 sweet potato, 241.
 stizolobii, velvet bean, 187.
 vaginae, sugar cane, 301.
 zebrina, Trifolium pratense, 379.
Cercospora alba-maculans, turnip, 196, 262.
 nivosa, *Pentstemon* sp., 375.
 persicae, peach, 54.
Geothospora lunata, cranberry, 87.
Chlorosis, apple, 34.
 bean, 247.
 cape jasmine, 354.
 chrysanthemum, 348.
 citrus, 95.
 cowpea, 185.
 evergreen trees, 341.
 grape, 68.
 peach, 54.
 pear, 41.
 plum, 58.
 prune, 58.
 strawberry, 72.
Choanephora cucurbitarum, squash, 271.
 sp., Aztec dahlia, 349.
 zinnia, 367.
Cladochytrium tenue, iris, 354.
Cladosporium album, sweet pea, 365.
 carpophilum, apricot, 63.
 cherry, 62.
 peach, 46, 404.
 plum, 58.
 prune, 58.
 citri, (see *Sphaceloma fawcettii*), 90, 98.
 cucumerinum, cantaloupe, 265.
 cucumber, 267.
 fulvum, tomato, 234.
 herbarum citricolum, citrus, 95.
 paeoniae, peony, 358.
 sp., margo, 101.
 peanut, 309.
 persimmon, 101.
Claviceps purpurea, *Agropyron repens*, 188.
 Avena sativa, 188.
 barley, 109, 153.
 Bromus inermis, 188.
 Bromus sp., 188.
 Festuca elatior, 188.
 Lolium sp., 188.
 oats, 160.
 Phalaris arundinacea, 188.
 rye, 143, 384.
 timothy, 188.
 wheat, 135.
Coccomyces hiemalis, cherry, 60, 409.
 lutescens, black cherry, 329.
 prunophorae, plum, 56.
 prune, 56.
 sp., *Prunus munsoniana*, 56.
 wild goose plum, 56, 338.
Coleosporium delicatulum, longleaf pine, 324.
 ipomoeae, *Ipomoea dissecta*, 373.
 madiae, *Madia racemosa*, 374.
 ribicola, *Ribes cereum*, 377.
 solidaginis, *Aster douglasii*, 369.
 Aster spp., 369.
 China aster, 344.
 lodgepole pine, 324.
 shore pine, 323.
 Solidago elongata, 378.
 Solidago missouriensis, 378.
 Solidago rigida, 378.
 Solidago spp., 378.
Colletotrichum atramentarium, potato, 196, 220.
 circinans, onion, 196, 250.
 falcatum, sorghum, 172.
 sugar cane, 194, 299.
 gloeosporioides, avocado, 98.
 cherimoya, 99.
 citrus, 93.
 mango, 101.
 gossypii, cotton, 399.
 graminicolum, *Agropyron repens*, 188.
 Agrostis palustris, 188.
 Anthoxanthum odoratum, 188.
 barley, 153.
 Bromus secalinus, 188.
 Dactylis glomerata, 189.
 Festuca rubra, 189.
 Hordeum jubatum, 189.
 Lolium perenne, 189.

- Notholcus lanatus*, 189.
 oats, 160.
 rye, 144.
 spelt, 109.
 timothy, 188.
 wheat, 135.
lagenarium, cantaloupe, 264.
 cucumber, 266.
 squash, 271.
 watermelon, 268.
lindemuthianum, bean, 243, 400.
linicolum, flax, 171.
malvarum, hollyhock, 353.
phomoides, tomato, 235.
sp., *Asclepias sp.*, 369.
 avocado, 98.
 coconut, 105.
Echinocystis lobata, 372.
Holcus halepensis, 189.
 kentia, 354.
 loquat, 100.
 pansy, 357.
 passion vine, 357.
 royal palm, 337.
 screwpine, 340.
spinaciae, spinach, 311.
trifolii, alfalfa, 179.
 clover, 180.
viciae, *Vicia sp.*, 380.
violae tricoloris, pansy, 357.
Coniosporium gecevi, corn, 168.
Coniothyrium fuckelii, (see *Leptosphaeria coniothyrium*), 361.
pirinum, apple, 3.
sp., apple, 33.
wernsdorffiae, rose, 360.
 Copper wire injury, peach, 54.
 Cork, apple, 33.
Corticium lactum, fig, 100.
 stevensii, apple, 34.
 citrus, 95.
 pear, 41.
vagum, bean, 246.
 cabbage, 257.
 cauliflower, 260.
 cotton, 289.
 delphinium, 350.
 gladiolus, 351.
 lettuce, 277.
 pea, 283.
 potato, 208.
 sweet pea, 366.
 sweet potato, 241.
 tomato, 235.
Coryneum beijerinckii, apricot, 63.
 cherry, 62.
 peach, 50.
 kunzei, chestnut oak, 335.
 microstictum, rose, 360.
 negundinis, maple, 333.
 rhododendri, Coast rhododendron, 359.
Cronartium cerebrum, jack pine, 323.
 oak, 336.
 Scotch pine, 325.
 scrub pine, 326.
comptoniae, Austrian pine, 324.
Comptonia asplenifolia, 371.
 loblolly pine, 326.
 pitch pine, 325.
 Scotch pine, 325.
 sweet gale, 365.
filamentosum, Castilleja miniata, 370.
 shore pine, 323.
fusiforme, pine, 326.
harknessii, shore pine, 323.
pyriforme, lodgepole pine, 324.
 red pine, 325.
 Scotch pine, 326.
 shore pine, 323.
 western yellow pine, 324.
quercus, (see *C. cerebrum*), 336.
ribicola, *Ribes cynosbati*, 377.
 Ribes nigrum, 314, 315.
 western white pine, 324.
 white pine, 314, 325.
Cryptosporiella viticola, grape, 66.
Cryptosporium acicolum, (see *Septoria acicola*), 326.
 Curly leaf, royal palm, 337.
 Curly top, sugar beet, 302.
Cuscuta sp., alfalfa, 179.
 blueberry, 88.
 clover, 183.
 raspberry, 3, 80.
 Xanthium orientale, 380.
 Xanthium spp., 380.
Cylindrosporium acerinum, striped maple, 332.
 brevispina, hawthorn, 331.
 chrysanthemi, chrysanthemum, 347.
 consociatum, Rocky Mt. maple, 332.
 padi, apricot, 63.
 sp., butternut, 328.
Cystospora batata, sweet potato, 240, 397.

Cytospora chrysosperma, Lombardy poplar, 338.

poplar, 339.

palmarum, coconut, 105.

pinastri, Scotch pine, 326.

sacchari, sugar cane, 301.

sp., white pine, 325.

Cytospora paucispora, white oak, 335.

D

Dendrophoma obscurans, strawberry, 72.

Diaporthe batatatis, sweet potato, 241.

phaseolorum, lima bean, 248.

sojae, (see *Phomopsis* sp.), 187.

soybean, 186.

sp., rose, 360.

umbrina, rose, 360.

Dicoma clematidis, (see *Puccinia triticea*), 348.

Didymella iridis, iris, 354.

Dieback, citrus, 95.

Dimerisporium collinsii, saskatoon, 340.

tsugae, western hemlock, 322.

Diplocarpon earliana, strawberry, 70.

rosae, rose, 360.

Diplodia cacaocicola, *Theobroma cacao*, 379.

colutae, *Colutea arborescens*, 371.

corn, 164.

epicoccos, coconut, 105.

natalensis, citrus, 90.

peach, 54.

populi, large tooth aspen poplar, 338.

pruni, black sloe plum, 338.

Prunus umbellata, 58.

rosae, rose, 361.

sp., American holly, 352.

avocado, 98.

citrus, 94.

eggplant, 307.

Parsons arborvitae, 320.

pear, 41.

persimmon, 101.

Pittosporum tobira, 359.

rose, 361.

silk oak, 334.

watermelon, 270.

sycina syncophila, fig, 99.

tubercicola, camphor tree, 328.

sweet potato, 196, 241.

zeae, corn, 164, 166.

Discosia artocreas, rose, 361.

Dodder, onion, 251.

Dothichiza populea, white poplar, 338.

Dothichloe atramentosa, lawn grass, 189.

Dothidella castanopsidis, giant chinquapin, 329.

Dothiorella quercina, (see *Sphaeropsis quercina*), 335.

sp., rose, 361.

Downy mildew, cucurbits, 194.

Drought injury, American arborvitae, 320.

maple, 334.

peach, 53.

plum, 57.

prune, 57.

Drought spot, apple, 33.

Dust injury, apple, 34.

Dying, alfalfa, 177.

Dying back, tomato, 236.

Dying off, *Lupinus* sp., 374.

E

Ear rots, corn, 164.

Eastern bluestem, (see streak), 79.

Echinodontium tinctorium, cascade fir, 321.

Noble fir, 321.

Endothia parasitica, chestnut, 319, 329.

oak, 336.

radicalis mississippiensis, oak, 336.

Epicoccum, wheat, 140.

Erysiphe cichoracearum, *Ambrosia elatior*, 368.

cucumber, 268.

dahlia, 349.

Eupatorium urticifolium, 372.

phlox, 358.

Plantago major, 376.

pumpkin, 272.

salsify, 311.

Solanum carolinense, 378.

squash, 271.

watermelon, 270.

zinnia, 367.

galeopsidis, *Chelone glabra*, 370.

graminis, *Agropyron repens*, 189.

barley, 153.

Dactylis glomerata, 189.

Elymus canadensis, 189.

- Hordeum jubatum*, 189.
 oats, 160.
Poa compressa, 189.
Poa pratensis, 189.
Poa sp., 189.
 rye, 144.
 wheat, 136.
polygoni, *Amphicarpa monoica*, 368.
 bean, 246.
 cantaloupe, 265.
 clover, 181.
 cowpea, 185.
delphinium, 350.
Oenothera biennis, 375.
 pea, 285.
Polygonum aviculare, 376.
Polygonum erectum, 376.
Ranunculus acris, 377.
Thalictrum sp., 379.
 turnip, 262.
 sp., dahlia, 350.
Exanthema, (see dieback), 95.
Exoascus cerasi, cherry, 62.
 communis, plum, 56.
 prune, 56.
 Prunus niger, 56.
 Prunus umbellata, 56.
deformans, peach, 44, 404.
mirabilis, *Hortulana* plum, 57.
 Prunus angustifolia, 57.
pruni, black cherry, 329.
 plum, 56.
 prune, 56.
 Prunus niger, 56.
Exobasidium azaleae, *Indica azalea*, 345.
 camelliae, *camellia*, 347.
 oxycocci, *cranberry*, 87.
 sp., *Japanese azalea*, 345.
 vaccinii, *Arctostaphylos nevadensis*, 368.
 Arctostaphylos spp., 368.
 Arctostaphylos uva-ursi, 368.
 Chamaedaphne sp., 370.
 cranberry, 86.
 Gaylussacia baccata, 88.
 Gaylussacia frondosa, 88.
 Menziesia ferruginea, 374.
 rhododendron, 360.
 swamp azalea, 345.
 Vaccinium membranaceum, 380.
Exosporium palmivorum, date, 99.
 date palm, 337.
Fabraea maculata, pear, 40, 406.
 quince, 41.
 False blossom, *cranberry*, 87.
 Fasciation, foxglove, 351.
 Leptilon canadense, 374.
 Fertilizer injury, apple, 34.
Fomes applanatus, maple, 334.
 hartigii, Pacific yew, 326.
 igniarius, large tooth aspen poplar, 338.
 ribis, currant, 84.
 Foot rots, oats, 159.
 wheat, 134.
 Frenching, (see chlorosis), 95.
 camphor-tree, 328.
 tobacco, 295.
Frommea obtusa, *Potentilla canadensis*, 376.
 Frost injury, apple, 32.
 cherry, 62.
 citrus, 95.
 grape, 68.
 peach, 52.
 pear, 40.
 plum, 57.
 prune, 57.
 raspberry, 80.
 rose, 363.
 strawberry, 72.
 Fruit ammoniation, (see dieback), 95.
 Fruit drop, plum, 58.
 prune, 58.
 Fruit rots, apple, 35.
Fumago vagans, currant, 85.
 Humulus lupulus, 373.
Fusarium batatatis, sweet potato, 238, 396.
 bulbigenum, hyacinth, 353.
 conglutinans, cabbage, 196, 252.
 kale, 196.
 cubense, banana, 99.
 eumartii, potato, 211, 212.
 hyperoxysporum, sweet potato, 238, 396.
 lini, flax, 170.
 lycopersici, tomato, 225, 398.
 malli, onion, 196, 250.
 martii phaseoli, bean, 246.
 martii pisi, pea, 283.
 sweet pea, 366.
 moniliforme, corn, 165, 166.
 negundi, boxelder maple, 332.
 niveum, cucumber, 268.

watermelon, 269.
 oats, 159.
 oxysporum, China aster, 344.
 potato, 211, 392.
 sweet potato, 241.
 radicicola, potato, 220.
 sp., alfalfa, 178.
 apple, 33.
 asparagus, 305.
 banana, 3.
 carnation, 347.
 celery, 273.
 clover, 183.
 coconut, 105.
 corn, 391.
 delphinium, 350.
 Echinocystus lobata, 372.
 gladiolus, 352.
 golden seal, 352.
 onion, 250.
 pea, 283.
 pepper, 310.
 snapdragon, 363.
 spinach, 311.
 squash, 271.
 strawberry, 72.
 tobacco, 295.
 tomato, 235.
 wheat, 134.
 zinnia, 367.
 spp., alfalfa, 178.
 bean, 246, 400.
 cantaloupe, 265.
 corn, 164.
 onion, 251.
 squash, 271.
 strawberry, 72.
 vasinfectum, cotton, 285, 399.
 okra, 308.
 vasinfectum tracheiphilum, cowpea, 185.
 Fusicladium effusum, pecan, 102.
 saliciperdum, willow, 341.
 Fusicoccum putrefaciens, cranberry, 87.
 sp., apricot, 63.
 Fusisporium rubi, blackberry, 82.

G

Ganoderma applanatum, (see Fomes applanatus), 334.
 Giant hill, potato, 218.
 Gibberella, corn, 164.

saubinetii, barley, 152.
 corn, 166, 391.
 oats, 160.
 rye, 145.
 spelt, 109.
 wheat, 128, 382.
 sp., Lolium perenne, 189.
 Glassy fruit, cherry, 62.
 Gloeosporium ampelophagum, grape, 66.
 apocryptum, maple, 334.
 silver maple, 332.
 sugar maple, 333.
 aridum, ash, 327.
 betularum, river birch, 328.
 caryae, (see Gnomonia caryae), 331.
 caulivorum, clover, 183.
 coryli, hazelnut, 331.
 diospyri, persimmon, 101.
 eucalyptorum, eucalyptus, 331.
 fagi americana, American beech, 327.
 limetticolum, citrus, 93.
 musarum, banana, 98.
 nanoti, coconut, 105.
 robergei, American hornbeam, 332.
 rufomaculans, peach, 3.
 sp., avocado, 98.
 camellia, 347.
 India rubber tree, 363.
 mango, 101.
 oak, 336.
 planetree, 338.
 pomegranate, 102.
 raspberry, 80.
 snowberry, 364.
 Glomerella cingulata, apple, 14, 402.
 fig, 99.
 papaya, 101.
 peach, 54.
 pecan, 103.
 privet, 359.
 quince, 42.
 gossypii, cotton, 286.
 lindemuthianum, cowpea, 185.
 piperata, pepper, 310.
 psidii, guava, 100.
 Gnomonia caryae, hickory, 331.
 leptostyla, black walnut, 341.
 ulmea, American elm, 330.
 veneta, maple, 334.
 sycamore, 340.
 white oak, 335.
 Gnomoniella tubiformis, hazel alder, 327.

- Graphiola phoenicis*, date, 99.
 date palm, 338.
 palm, 337.
 Greasy spot, citrus, 96.
 Green spot, citrus, 96.
Guignardia bidwellii, ampelopsis, 344.
 grape, 64, 401.
 Japanese creeper, 344.
 Virginia creeper, 344.
Vitis rotundifolia, 64.
 Gummosis, cherry, 62.
 citrus, 96.
Gymnoconia interstitialis, blackberry,
 81.
 dewberry, 83.
 raspberry, 76.
Gymnosporangium, apple, 402.
 blasdaleanum, California incense
 cedar, 321.
 clavariaeforme, hawthorn, 331.
 germinale, cedar, 321.
 globosum, hawthorn, 331.
 juniperinum, common juniper, 322.
 mountain ash, 327.
 juniperivirginianae, apple, 19.
 red cedar, 321.
 juvenescens, Colorado juniper, 323.
 nootkatensis, Nootka cypress, 321.
 sp., pear, 41.
 quince, 42.

H

- Hail injury, flax, 171.
 Hardberry, grape, 68.
 Heat canker, flax, 171.
Helminthosporium avenae, oats, 160.
 bromi, *Bromus inermis*, 189.
 dictyoides, *Festuca elatior*, 189.
 giganteum, *Elymus virginicus*, 189.
 gramineum, barley, 150, 386.
 Pennisetum glaucum, 189.
 oats, 159.
 oryzae, rice, 169.
 sacchari, sugar cane, 196, 301.
 sativum, barley, 151.
 Elymus canadensis, 189.
 rye, 109, 146.
 wheat, 133, 134, 136.
 sp., bamboo, 346.
 corn, 108, 168.
Dactylis glomerata, 189.
 oats, 160.

- red top, 109.
 spp., rice, 169.
 teres, barley, 152.
 turcium, corn, 168.
 vagans, *Poa pratensis*, 189.
Heterodera radiculicola, alfalfa, 179.
 banana, 99.
 bean, 247.
 beet, 306.
 cabbage, 258.
 cantaloupe, 265.
 carrot, 307.
 celery, 275.
 chrysanthemum, 348.
 colcas, 348.
 cotton, 288, 399.
 cowpea, 185.
 cucumber, 268.
 cyclamen, 349.
 dahlia, 350.
 fig, 100.
 horseradish, 263.
 lettuce, 280.
 okra, 308.
 peach, 54.
 peony, 358.
 pepper, 310.
 pomegranate, 102.
 potato, 220.
 snapdragon, 364.
 squash, 271.
 strawberry, 73.
 tobacco, 295.
 tomato, 235.
 watermelon, 270.
 schachtii, sugar beet, 303.
Heterosporium gracile, (see *Didymellina iridis*), 354.
 phlei, timothy, 110, 188.
Himantia stellifera, sugar cane, 300.
 Hollow crown, clover, 183.
 Hollow stems, celery, 275.
 Hopperburn, potato, 218, 394.
Hormodendrum cladosporioides, wheat,
 140.
Hyalospora aspidiotus, *Dryopteris*
 linneana, 371.
 polypodii, *Systopteris fragilis*,
 371.
Hypoderma deformans, western yellow
 pine, 324.
 lineare, western white pine, 324.
 white pine, 325.

Hypodermella laricis, western larch,
323.
sp., shore pine, 323.
sulcigena, western white pine, 324.
Hypoxylon pruinaum, poplar, 339.
Hysterium pulcherrimum, sycamore, 341.

I

Internal blackspot, cabbage, 258.
Internal brownspot, potato, 219.
Internal fruitspot, mango, 101.
Isariopsis griseola, bean, 196, 247.
lima bean, 248.

J

Jonathan spot, apple, 28.

K

Keithia thujina, giant arborvitae,
320.
Kernel smut, dwarf hegari, 172.
Feterita, 172.
milo, 172.
Kernel spot, pecan, 103.
Kuehneola uredinis, blackberry, 82.
dewberry, 83.
Kunkelia nitens, blackberry, 81.
dewberry, 83.
raspberry, 76.
Rubus allegheniensis, 81.

L

Laestadia buxi, box, 346.
Leaf blight, begonia, 346.
Leaf burning, pear, 40.
Leaf crinkle, cherry, 62.
Leafcurl, blackberry, 82.
raspberry, 77, 410.
tomato, 236.
Leaf drop, begonia, 346.
Leafroll, potato, 193, 215, 392.
Leaf scorch, maple, 334.
Leaf spots, alfalfa, 179.
Leaf tipburn, oats, 160.
Leaf wrinkle, grape, 68.
Leopard spot, asparagus, 306.
Leptomonas elmassiana, *Asclepias*
sp., 369.

Leptosphaeria coniothyrium, gooseberry
85.

raspberry, 75.
rose, 361.
culmorum, *Lolium perenne*, 189.
sacchari, sugar cane, 301.
sp., *Agrostis palustris*, 189.
Leptothyrium alneum, (see *Gnomoniella*
tubiformis), 327.
castanae, chestnut, 329.
pomi, apple, 29.
blackberry, 82.
citrus, 94.
dewberry, 83.
grape, 68.
Lightning injury, citrus, 96.
maple, 334.
Lint stain, cotton, 289.
Little peach, peach, 51, 104.

M

Macrophoma eucalyptorum, eucalyptus,
331.
fici, fig, 100.
sp., oak, 336.
Macrosporium carotae, carrot, 307.
catalpae, catalpa, 328.
cladosporioides, lettuce, 280.
cucumerinum, cantaloupe, 263.
cucumber, 268.
watermelon, 270.
parasiticum, onion, 250.
sarcinaeforme, alfalfa, 108, 109,
179.
solani, tomato, 223, 224.
sp., dahlia, 350.
pepper, 310.
rose, 361.
tabacinum, tobacco, 295.
Malnutrition, cotton, 289.
Marasmius sacchari, sugar cane, 300.
tritici, rye, 146.
wheat, 140.
Marl disease, celery, 275.
Marssonina brunnea, quaking aspen pop-
lar, 339.
juglandis, (see *Gnomonia leptostyla*).
341.
thomasiana, *Euonymus* sp., 350.
Mastigosporium lupini, *Lupinus* sp., 374.
Measles, apple, 34.
pear, 3, 41.

- Melampsora abietina*, (see *Melampsoropsis abietinum*), 374.
albertensis, quaking aspen poplar, 339.
americana, (see *M. humboldtiana*), 341.
bigelowii, western larch, 323.
humboldtiana, willow, 341.
lini, flax, 170.
medusae, poplar, 339.
 Populus deltoides, 339.
 Populus tremuloides, 339.
occidentalis, black cottonwood poplar, 339.
Melampsoropsis abietina, *Ledum groenlandicum*, 374.
piperiana, Coast rhododendron, 359.
Melanconium betulinum, birch, 328.
pandani, screwpine, 340.
sacchari, sugar cane, 301.
tiliae, American linden, 332.
Microsphaera alni, chestnut, 329.
 pecan, 103.
alni lonicerae, bush honeysuckle, 353.
diffusa, *Lespedeza hirta*, 374.
 snowberry, 364, 365, 366.
grossulariae, European red elder, 330.
 sp., American elder, 330.
 matrimony vine, 356.
Microstroma juglandis, hickory, 331.
Mollisia dehnii, (see *Beloniella dehnii*), 377.
Monilia follicola, European alder, 326.
 fructigena, (see *Sclerotinia cinerea*), 338.
Monilochaetes infuscans, sweet potato, 240.
Monochaetia desmazierii, red oak, 335.
 pachyspora, chestnut, 329.
 chinquapin, 329.
Mosaic, *Ambrosia elatior*, 368.
 American elder, 330.
 Asclepias sp., 369.
 balsam, 345.
 bean, 194, 245, 400.
 blackberry, 82.
 calendula, 347.
 cantaloupe, 194, 265.
 carrot, 194, 307.
 celery, 194, 275.
 Chinese cabbage, 194, 261.
 clover, 183.
 corn, 163.
 cosmos, 349.
 cowpea, 186.
 cucumber, 194, 267.
 cucurbits, 194.
 eggplant, 194, 307.
 horseradish, 194, 263.
 house amaryllis, 344.
 Ipomoea triloba, 373.
 lettuce, 194, 280.
 lima bean, 194, 248.
 pea, 194, 285.
 peony, 358.
 pepper, 194, 310.
 Phaseoli coccineus albus, 246.
 Physalis sp., 376.
 potato, 193, 194, 213, 392.
 pumpkin, 194, 272.
 raspberry, 77, 78, 410.
 rose, 361.
 Rubus phoenicolasius, 84.
 Rumex obtusifolius, 378.
 rutabaga, 194, 262.
 Solanum nigrum, 378.
 soybean, 110, 186.
 spinach, 194, 311.
 squash, 194, 271.
 sugar beet, 194.
 sugar cane, 194, 296.
 sweet clover, 184.
 sweet pea, 366.
 sweet potato, 194, 242.
 tobacco, 194, 293.
 tomato, 194, 230.
 top primrose, 359.
 velvet bean, 187.
 wineberry, 84.
 Xanthium spp., 380.
Mosaic-like disease, pea, 195.
Mottle leaf, (see chlorosis), 95.
Mottle necrosis, sweet potato, 195, 242.
Mycosphaerella aurea, (see *Septoria aurea destruens*), 84.
 brassicicola, kale, 195, 261.
 citrullina, watermelon, 270.
 colorata, *Kalmia*, 355.
 mountain laurel, 355.
 fragariae, *Fragaria chiloensis*, 372.
 strawberry, 70.

gossypina, cotton, 289.
grossulariae, currant, 84.
 gooseberry, 85.
maculiformis, chestnut, 329.
pinodes, pea, 284.
rubi, blackberry, 83.
 dewberry, 83.
 raspberry, 80.
rubina, loganberry, 84.
 raspberry, 80.
sentina, pear, 40.
sp., *Pachistima myrsinites*, 375.
 Rumex occidentalis, 378.
Myriangium dureui, hawthorn, 331.
Myxosporium corticolum, apple, 34.
 sp., Japanese maple, 332.

N

Nanism, *Lupinus sp.*, 374.
Napioladium sp., *Pithecollobium*, 338.
Nectria cinnabarina, Japanese maple, 332.
 ditissima, currant, 85.
 river birch, 328.
 galligena, pear, 41.
 rousseliana, box, 346.
Nematode, Chinese cabbage, 261.
 Easter lily, 355.
Pittosporum tobira, 359.
 royal palm, 337.
Nummularia discreta, apple, 22.

O

Oedema, Jerusalem cherry, 354.
Oidium sp., avocado, 98.
 globe artichoke, 308.
 hydrangea, 353.
 pecan, 103.
 Sonchus oleraceus, 379.
 leucoconium, (see *Sphaerotheca pan-*
 nosa), 363.
Oospora citri-aurantii, citrus, 95.
 lactis parasitica, tomato, 235.
Ophiobolus graminis, timothy, 188.
 wheat, 131.
 sp., rice, 108, 169.
Orobanche ramosa, coleus, 348.
Ovularia obliqua, *Rumex crispus*, 377.
Ozonium omnivorum, alfalfa, 178.
 apple, 31.
 bean, 247.

 cotton, 290.
 cowpea, 186.
 elm, 331.
 fig, 100.
 grape, 69.
 lettuce, 280.
 mulberry, 86.
 okra, 308.
 peach, 54.
 peanut, 309.
 pear, 41.
 peach, 103.
 pepper, 310.
 plum, 58.
 poinsettia, 359.
 prune, 58.
 sweet potato, 241.

P

Papery leafspot, white oak, 335.
Penicillium digitatum, citrus, 92.
 italicum, citrus, 92.
 sp., apple, 33.
 corn, 166.
 cranberry, 87.
 gladiolus, 352.
Peridermium pycnoconspicuum, fir, 322.
 pycnogrande, fir, 322.
Perisporium wrightii, cactus, 370.
Peronospora alata, *Plantago major*, 376.
 corydalis, pale snapweed, 346.
 effusa, *Chenopodium album*, 311, 370.
 spinach, 196, 311.
 Spinacia oleracea, 311.
 ficariae, *Ranunculus acris*, 377.
 geranii, *Geranium spp.*, 372.
 parasitica, Brussels sprouts, 261.
 Bursa-bursa-pastoris, 370.
 cabbage, 258.
 cauliflower, 260.
 kale, 261.
 kohlrabi, 262.
 mustard, 262.
 Raphanus raphanistrum, 377.
 rutabaga, 262.
 potentillae, dewberry, 83.
 pygmaea, *Hepatica sp.*, 373.
 rubi, dewberry, 83.
 schleideni, onion, 194, 196, 249.
 sojae, soybean, 110, 187.
 sp., *Humulus lupulus*, 373.
 Richardia scabra, 377.

- trifoliorum, alfalfa, 174.
 sweet clover, 109, 184.
 urticae, Humulus lupulus, 373.
 nettle, 373.
 viciae, pea, 195, 285.
 Pestalozzia guepini, persimmon, 101.
 rosebay rhododendron, 353.
 guepini vaccinii, avocado, 93.
 palmarum, coconut, 105.
 palmicola, Mexican Washington palm.
 337.
 sp., American redbud, 340.
 Ceratonia siliquum, 371.
 Chinese hibiscus, 352.
 date palm, 338.
 screwpine, 340.
 Peteca, citrus, 96.
 Pezizella lythri, strawberry, 71, 72.
 Phleospora asiminae, Asimina triloba,
 369.
 Phlyctaena linicola, flax, 109, 171.
 Phoma betae, beet, 306.
 sugar beet, 304.
 cyclamenae, cyclamen, 349.
 destructiva, tomato, 196, 235.
 lingam, cabbage, 254.
 cauliflower, 260.
 kale, 261.
 palmarum, Japanese maple, 332.
 persicae, peach, 54.
 pomi, apple, 3, 26.
 quince, 42.
 sp., pea, 283.
 radish, 263.
 rose, 361.
 white pine, 325.
 uvicola, (see Guignardia bidwellii),
 344.
 Phomopsis californica, citrus, 90, 95.
 citri, citrus, 89, 90.
 Cupressus arizonica, 316, 318.
 Cupressus macrocarpa, 316, 318.
 Cupressus torulosa, 316.
 juniperovora, cedar, 316.
 Cephalotaxus drupacea, 317.
 Cryptomeria, 316.
 Cryptomeria japonica, 318.
 Cupressus, 316.
 Cupressus arizonica, 317, 318.
 Cupressus benthami, 318.
 Cupressus lawsoniana, 318.
 Cupressus macrocarpa, 318.
 Cupressus sempervirens, 318.
 Cupressus sempervirens pyramid-
 alis, 318.
 Juniperus chinensis procumbens,
 317.
 Juniperus communis, 318.
 Juniperus sabina, 317, 318.
 Juniperus sabina tamarisci-
 folia, 317.
 Juniperus virginiana, 316,
 317, 318.
 Larix decidua, 316.
 Pseudotsuga douglasi, 316.
 Pseudotsuga taxifolia, 318.
 red cedar, 316, 317.
 Retinospora, 316.
 Retinospora obtusa, 318.
 Retinospora plumbosa, 318.
 Taxodium distichum, 317.
 Taxus baccata fastigiata, 317.
 Thuja, 316.
 Thuja occidentalis, 317.
 Thuja orientalis, 318.
 Thuja plicata, 318.
 padina, cherry, 62.
 sojae, (see Phomopsis sp.), 187.
 sp., blueberry, 88.
 cranberry, 87.
 huckleberry, 88.
 rose, 361.
 soybean, 187.
 spp., Cephalotaxus drupacea, 316.
 Pseudotsuga douglasi, 316.
 Taxodium distichum, 316.
 Taxus baccata fastigiata, 316.
 stewartii, cosmos, 349.
 vexans, eggplant, 307.
 Phragmidium imitans, raspberry, 80.
 rosae-acicularis, rose, 361.
 speciosum, rose, 361.
 wild rose, 361.
 spp., rose, 361.
 subcorticinum, rose, 361.
 Phyllachora graminis, Agropyron re-
 pens, 189.
 Bouteloua curtipendula, 189.
 Elymus canadensis, 189.
 Panicum virgatum, 189.
 Paspalum setaceum, 189.
 pomigena, apple, 29.
 pteridis, Pteridium aquilinum pu-
 bescons, 377.
 trifolii, Trifolium hybridum, 184.
 Trifolium incarnatum, 379.

- Trifolium repens*, 184.
Phyllactinia corylea, service berry, 340.
Phyllosticta ambrosioides, *Chenopodium ambrosioides*, 370.
auerswaldii, box, 347.
batatas, sweet potato, 241.
caryae, hickory, 332.
 pecan, 103.
chenopodii, *Chenopodium album*, 370.
 spinach, 311.
confertissima, elm, 330.
cucurbitacearum, cucumber, 268.
 watermelon, 270.
gossypina, cotton, 290.
lappae, *Arctium minus*, 368.
maculiformis, (see *mycosphaerella maculiformis*), 329.
maxima, rhododendron, 360.
minima, maple, 334.
minutissima, Rocky Mountain maple, 332.
 sugar maple, 333.
moricola, mulberry, 86.
opaca, American holly, 352.
phaseolina, bean, 247.
 cowpea, 109, 186.
rosae, rose, 361.
sacchari, sugar cane, 301.
smilacinis, *Smilax* sp., 378.
solitaria, apple, 11, 402.
 sp., *Agropyron repens*, 189.
 American elder, 330.
 corn, 168.
gaillardia, 351.
 loquat, 100.
 okra, 308.
 palm, 337.
 peony, 358.
 red maple, 333.
 rhubarb, 310.
 sugar cane, 301.
 tobacco, 295.
 tomato, 195, 235.
straminella, rhubarb, 310.
tenerrima, *Saponaria officinalis*, 378.
virginiana, downy serviceberry, 340.
Physalospora cydoniae, apple, 16, 402.
 chestnut oak, 335.
 currant, 85.
 hawthorn, 331.
 pear, 41.
 quince, 42.
 rose, 363.
eucalyptorum, *Eucalyptus*, 331.
malorum, (see *P. cydoniae*), 85.
 rose, 362.
Physarum cinereum, asparagus fern, 351.
Plantago lanceolata, 376.
Plantago major, 376.
Poa pratensis, 189.
Stenotaphrum secundatum, 189.
Taraxacum officinale, 379.
Physoderma zeae-maydis, corn, 167, 390.
Physopella fici, fig, 100.
Phytomonas cannae, (see *Bacterium cannae*), 347.
Phytophthora cactorum, apple, 33.
 strawberry, 3, 71.
faberi, coconut, 3, 104.
infestans, potato, 193, 196, 392.
 tomato, 236.
nicotianae, tobacco, 295.
phaseoli, lima bean, 247.
 sp., peony, 358.
 tobacco, 295.
 tomato, 236.
terrestris, citrus, 93.
 tomato, 236.
Piricularia grisea, *Chaetochloa italica*, 189.
Panicum sp., 189.
 rice, 169.
Syntherisma sanguinalis, 189.
 Pithy stems, celery, 275.
Plasmodiophora brassicae, cabbage, 255.
 cauliflower, 260.
 radish, 263.
vascularum, sugar cane, 301.
Plasmopara geranii, (See *Peronospora geranii*), 372.
halstedii, sunflower, 365.
viticola, ampelopsis, 344.
 grape, 65.
 Japanese creeper, 344.
Plectodiscella veneta, blackberry, 82.
 dewberry, 83.
 raspberry, 73.
Plenodomus destruens, sweet potato, 241, 396.
Pleosphaeria semeniperda, *Avena fatua*, 134.
Bromus sterilis, 134.
 oats, 134.

- wheat, 134.
Pleosphaerulina briosiana, alfalfa, 109, 179.
Pleospora tropaeoli, nasturtium, 356.
Pleurotus ulmarius, boxelder maple, 332. elm, 331.
Plowrightia morbosa, cherry, 62. plum, 56. prune, 56.
Prunus americana, 56.
Prunus bessyi, 56.
Prunus pennsylvanica, 56.
Prunus virginiana, 56.
Podosphaera leucotricha, apple, 29. *oxyacanthae*, black sloe plum, 338. cherry, 62. chokecherry, 329. *Prunus demissa*, 62. *Prunus umbellata*, 58. *Prunus virginiana*, 62. spiraea, 365. western chokecherry, 329.
Podosporiella verticillata, (see *Phleosphaeria semeniperda*), 134.
Pod spot, cowpea, 186.
Polyporus dryadeus, white oak, 335. *dryophilus*, (see *P. rheades*), 335. *pergamenus*, (see *Polystictus pergamenus*), 336. *rheades*, chestnut oak, 335. *schweinitzii*, Douglas fir, 322.
Polyspora sp., *Rosa hugonis*, 362. *Rosa* sp., 362. rose, 362.
Polystictus hirsutus, willow, 341. *pergamenus*, oak, 336.
Polythelis fusca, (see *Puccinia fusca*), 368. *thalietri*, *Thalictrum dioicum*, 379.
Polythrincium trifolii, (see *Phyllachora trifolii*), 379.
Poria incrassata, Douglas fir, 322. *medula-panis*, live oak, 336.
Powdery mildew, crapemyrtle, 349. kale, 261. raspberry, 80. tomato, 237.
Protocoronospora nigricans, *Vicia*, sp., 380.
Pseudomonas iridis, iris, 354.
Pseudoperonospora cubensis, cantaloupe, 264. cucumber, 267. squash, 271. watermelon, 196, 270.
Pseudopeziza medicaginis, alfalfa, 173. ribis, currant, 84. gooseberry, 85. *trifolii*, *Trifolium pratense*, 184.
Psorosis (see *gummosis*), 96.
Puccinia abundans, snowberry, 365. *amphigena*, *Calamovilfa longifolia*, 189. *andropogi*, *Andropogon furcatus*, 189. *Andropogon scoparius*, 189. *Chelone glabra*, 370. *anemones-virginianae*, *Anemone virginiana*, 368. *anomala*, barley, 147. *antirrhini*, rose, 364. *asparagi*, asparagus, 306. *australis*, (see *P. spegazzinii*), 190. *bardanae*, *Arctium minus*, 368. *canaliculata*, *Cyperus esculentus*, 371. *chloridis*, *Chloris verticillata*, 189. *clematidis*, (see *P. triticea*), 371. *convolvuli*, *Convolvulus sepium*, 371. *coronata*, *Avena barbata*, 189. *Avena fatua*, 189. *Avena sterilis ludoviciana*, 189. *buckthorn*, 157, 328. *Festuca elatior*, 189. *lolium*, 157. *Notholcus*, 157. *Notholcus lanatus*, 189. *oats*, 156, 388. *Rhamnus cathartica*, 157, 158. *Rhamnus lanceolata*, 157. *dayi*, *Steironema ciliatum*, 379. *dispersa*, rye, 142, 384. *emaculata*, *Panicum capillare*, 189. *epiphylla*, *Poa pratensis*, 189. *frazinata*, ash, 327. white ash, 327. *fusca*, *Anemone quinquefolia*, 368. *glumarum*, barley, 147. *Hordeum jubatum*, 189. wheat, 135. *graminis*, *Agropyron repens*, 189. *Agropyron smithii*, 189. *Agropyron violaceum*, 189. *Agrostis palustris*, 189. *barberry*, 346. *barley*, 146, 387. *Chaetochloa* sp., 189.

- Dactylis glomerata*, 189.
Elymus canadensis, 189.
Festuca elatior, 189.
Hordeum jubatum, 189.
Hordeum pusillum, 189.
oats, 158, 388.
Poa compressa, 189.
rye, 141, 384.
timothy, 188.
wheat, 118, 382.
graminis brevicarpa, (see *P. emaculata*)
189.
graminis poae, *Poa compressa*, 189.
grossulariae, currant, 85.
gooseberry, 86.
Ribes cynosbati, 377.
helianthi, *Helianthus petiolaris*, 373.
Jerusalem artichoke, 344.
sunflower, 365.
swamp sunflower, 365.
hibisciata, cotton, 290.
Muhlenbergia schreberi, 190.
hydrocotyles, *Hydrocotyle* sp., 373.
impatiens, spotted snapweed, 346.
koeleriae, Oregon holly grape, 357.
malvacearum, Chinese hibiscus, 352.
hollyhock, 353.
menthae, *Mentha arvensis*, 374.
monarda sp., 375.
Nepeta cataria, 375.
montanensis, *Elymus virginicus*, 190.
muhlenbergiae, (see *P. hibisciata*),
190.
obtecta, *Melanthera deltoides*, 374.
osmorrhizae, *Osmorrhiza longistylis*,
375.
poarum, (see *P. epiphylla*), 189.
polygoni, *Persicaria persicaria*, 376.
pruni spinosae, (see *Transchelia*
punctata), 368.
purpurea, sorghum, 172.
rhamni, *Shepherdia canadensis*, 378.
sambuci, American elder, 330.
simplex, barley, 387.
sorgho, corn, 166, 390.
spagazzinii, *Mikania scandens*, 190.
sydowiana, *Sporobolus asper*, 190.
symphoricarpi, snowberry, 366.
triticea, *Aegilops cylindrica*,
127, 190.
Agropyron repens, 190.
Cimicifuga racemosa, 371.
clematis, 348.
Elymus canadensis, 190.
wheat, 124, 382.
veratri, *Veratrum viride*, 380.
veronicae, *Vernonia gigantea*, 380.
violae, *Viola papilionacea*, 380.
violet, 367.
windsoricae, *Triodia flava*, 190.
xanthi, *Ambrosia trifida*, 368.
Xanthium commune, 380.
Xanthium orientale, 380.
Xanthium pennsylvanicum, 380.
Pucciniastrum agrimoniae, *Agrimonia*
mollis, 367.
americanum, raspberry, 80.
hydrangeae, smooth hydrangea,
353.
myrtilli, huckleberry, 88.
Tsuga canadensis, 88.
Vaccinium membranaceum, 380.
Vaccinium ovalifolium, 380.
Pucciniopsis carica, papaya, 101.
Pyrenopeziza medicaginis, alfalfa,
174.
Pythiacystis citrophthora, citrus,
94.
Pythium aphanidermatum, radish, 263.
compactens, geranium, 351.
debaryanum, cabbage, 259.
dahlia, 350.
potato, 220.
wheat, 140.
sp., cucumber, 268.
evergreen trees, 341.
lettuce, 281.
sugar cane, 300.
sweet potato, 241.
ssp., pea, 283.
R
Rabbit ear, carrot, 307.
lettuce, 281.
Ramularia areola, cotton, 196, 290.
armoraciae, horseradish, 263.
barbareae, *Barbarea vulgaris*, 369.
cyclaminicola, cyclamen, 349.
lactea, pansy, 357.
macrospora, *Rumex obtusifolius*,
378.
pastinacae, parsnip, 309.
plantaginis, *Plantago major*, 376.
primulae, English primrose, 359.
rudbeckiae, golden glow, 352.

sambucina, American elder, 330.
 sp., coconut, 105.
 taraxaci, *Taraxacum officinale*, 379.
 Redroot, celery, 275.
 Red stem, lettuce, 281.
 Rehmiellopsis bohémica, silver fir, 321.
 Rhizoctonia (see *Corticium vagum*), 257.
 crocorum, alfalfa, 178.
 microsclerotia, fig, 100.
 solani, potato, 392.
 soybean, 108, 187.
 strawberry, 71.
 tomato, 224.
 sp., carrot, 307.
 citrus, 94.
 cowpea, 186.
 evergreen trees, 341.
 flax, 171.
 horse bean, 187.
 okra, 308.
 peanut, 309.
 snapweed, 346.
 sugar beet, 304.
 sugar cane, 300.
 strawberry, 72.
 violaceae, (see *R. crocorum*), 178.
 Rhizopus nigricans, cherry, 63.
 squash, 271.
 strawberry, 72.
 sp., corn, 166.
 fig, 100.
 peach, 54.
 persimmon, 101.
 sweet potato, 241.
 Rhynchosporium secalis, barley, 152.
 rye, 146.
 Rhytisma acerinum, maple, 331.
 pseudoplatani, maple, 334.
 punctatum, maple, 334.
 mountain maple, 333.
 sugar maple, 333.
 solidaginis, *Solidago* spp., 378.
 vaccinii, *Vaccinium stamineum*, 89.
 vitis, grape, 3, 69.
 Ringspot, tobacco, 295.
 Rio Grande disease, carrot, 195, 307.
 Lactuca canadensis, 373.
 lettuce, 278.
 Root disease, cotton, 290.
 Root nodules, pine, 326.
 Root rot, alfalfa, 178.
 apple, 31.
 clover, 183.

corn, 164.
 dahlia, 350.
 gladiolus, 352.
 horseradish, 263.
 oats, 159.
 pea, 281.
 peach, 54.
 strawberry, 72.
 sugar cane, 300.
 sweet pea, 366.
 wheat, 134.

Rosette, apple, 34.
 peach, 51.
 pecan, 103.
 wheat, 130.
 Rough bark, pear, 41.
 plum, 59.
 prune, 59.

S

Sapstain, Monterey pine, 325.
 Scab, potato, 193.
 Scald, beech, 327.
 Schizophyllum commune, apple, 34.
 Sclerospora graminicola, *Chaetochloa*
 magna, 190.
 Chaetochloa viridis, 190.
 macrospora, wheat, 140.
 Sclerotinia angustior, chokecherry,
 329.
 carunculoides, mulberry, 86.
 cinerea, apple, 30.
 apricot, 63.
 black sloe plum, 338.
 cherry, 59, 409.
 chokecherry, 329.
 flowering almond, 326.
 peach, 42, 404.
 plum and prune, 55, 408.
 Prunus besseyi, 55.
 Prunus besseyi x *hortulana* mi-
 neri, 56.
 Prunus besseyi x *salicina*, 56.
 Prunus tomentosa, 59.
 Prunus umbellata, 55.
 Prunus virginiana, 60.
 intermedia, carrot, 195, 307.
 salsify, 195, 311.
 libertiana, (see *S. sclerotiorum*),
 364, 365, 370.
 minor, lettuce, 281.
 oxiococi, cranberry, 87.

- sclerotiorum*, bean, 247.
 cabbage, 259.
Carthamus tinctorius, 370.
 celery, 274.
 Chinese cabbage, 261.
 citrus, 94.
 cucumber, 268.
 lettuce, 276.
 pepper, 310.
 snapdragon, 364.
 sunflower, 365.
seaverii, black cherry, 329.
 sp., onion, 195, 251.
 passion vine, 357.
 rose, 363.
trifoliorum, alfalfa, 179.
 clover, 183.
vaccinii-corymbosi, blueberry, 3, 88.
Sclerotium bataticola, sweet potato, 196, 241.
oryzae, rice, 109, 169.
rolfsii, apple, 31.
 Aztec dahlia, 349.
 bean, 247.
 beet, 306.
 cabbage, 259.
 cantaloupe, 265.
 funkia, 351.
 Jerusalem artichoke, 305.
 peanut, 309.
 pepper, 310.
 potato, 220.
 soybean, 110, 187.
 sweet potato, 241.
 tomato, 236.
 watermelon, 270.
 sp., narcissus, 356.
Scolecosprium fagi, chestnut, 329.
Scolecotrichum graminis, *Agrostis palustris*, 190.
Arrhenatherum elatius, 190.
Dactylis glomerata, 190.
 grasses, 190.
 oats, 109, 161.
Poa pratensis, 190.
 timothy, 188.
Septobasidium pedicellatum, apple, 34.
 Carolina palm, 338.
 citrus, 94.
 fig, 100.
 scarlet oak, 335.
 pinicola, white pine, 325.
 retiforme, apple, 34.
 pear, 41.
 plum, 59.
 prune, 59.
Septogloeum saliciperdatum, (see *Fusicladium saliciperdatum*), 341.
Septoria acicola, loblolly pine, 326.
 apii, celery, 274.
 aurea destruens, currant, 84.
 bataticola, sweet potato, 241.
 campanulae, *Campanula americana*, 370.
 chrysanthemella, chrysanthemum, 348.
 consimilis, lettuce, 281.
 convolvuli, *Ipomoea triloba*, 373.
Ipomoea sp., 373.
 coptidis, *Coptis trifolia*, 371.
 cornicola, flowering dogwood, 330.
 erigerontea, *Erigeron* sp., 372.
 flagellifera, pea, 195, 285.
 gladioli, gladiolus, 352.
 glycines, soybean, 108, 110, 187.
 helianthi, sunflower, 365.
 hydrangeae, hydrangea, 353.
 irregularis, poison sumac, 340.
 lactucae, *Lactuca virosa*, 374.
 lycopersici, tomato, 221, 398.
 microsperma, sweet birch, 328.
 nodorum, wheat, 137.
 oenotherae, *Oenothera humifera*, 375.
 petroselini, parsley, 309.
 piricola, apple, 34.
 pisi, pea, 285.
 polygonorum, *Persicaria pennsylvanica*, 375.
Persicaria persicaria, 376.
 rubi, (see *Mycosphaerella rubi*), 80, 83.
 rubi pallida, raspberry, 80.
 sambucina, American elder, 330.
 secalis, rye, 109, 146.
 shepherdiae, *Shepherdia canadensis*, 378.
 sp., *Ceanothus sanguineus*, 370.
 Convolvulus sepium, 371.
 iris, 354.
 phlox, 358.
 Poa pratensis, 190.
 sugar maple, 333.
 timothy, 188.
 water birch, 327.
 wheat, 138.
 trillii, *Trillium discolor*, 379.

- tritici, wheat, 138.
 violae, violet, 367.
 wilsonii, *Chelone glabra*, 370.
Septoriopsis ribis, *Ribes viscosissimum*, 377.
 Shoestring fungus disease, citrus, 95.
 Silver leaf, plum 59.
 prune, 59.
 Slime flux, Chinese elm, 330.
 Smelter injury, China aster, 345.
 dahlia, 350.
 geranium, 351.
 nasturtium, 356.
 sweet pea, 366.
 Smoke injury, rose, 363.
 Smudge, onion, 251.
 Soil sterilization, narcissus, 356.
 Sooty mold, snapdragon, 364.
Sorosporium reilianum, corn, 169.
 sorghum, 173.
 syntherismae, *Panicum* sp., 190.
 Soured fruit, fig, 100.
Sphaceloma fawcettii, avocado, 98.
 citrus, 90.
Sphacelotheca cruenta, sorghum, 173.
 reiliana, corn, 109.
 sorgi, sorghum, 172.
 sp., milo, 108.
 Sudan grass, 173.
Sphaeronema fimbriatum, sweet potato, 239, 396.
Sphaeropsis malorum, (see *Physalospora malorum*), 362.
 pinastri, pine, 326.
 quercina, chestnut oak, 335.
 sp., English walnut, 104.
 lilac, 355.
 syringae, lilac, 355.
Sphaerotheca humuli, blackberry, 83.
 dewberry, 83.
 raspberry, 80.
 Rubus spectabilis, 377.
 staghorn sumac, 340.
 strawberry, 73.
 humuli fuliginea, *Bidens frondosa*, 369.
 mors-uvae, gooseberry, 86.
 pannosa, matrimony vine, 356.
 peach, 54.
 rose, 363.
 Spindle tuber, potato, 217.
Spondylocadium atrovirens, potato, 220.
Spongospora subterranea, potato, 220.
Sporodesmium maculurae, osage orange, 357.
Sporonema oxycocci, cranberry, 87.
 Spots, apple, 33.
 Spray injury, apple, 34.
 citrus, 96.
 peach, 51.
 pear, 41.
 red pine, 325.
 Stalk rots, corn, 164.
 Stem-end rot, cabbage, 259.
Stereum purpureum, alder, 327.
 apple, 34.
 black cottonwood poplar, 339.
 laburnum, 355.
 maple, 334.
 rhododendron, 360.
 sanguinolentum, balsam fir, 321.
Stilbum sp., rose, 363.
 Storage rots, sweet potato, 241, 397.
 Straighthead, rice, 169.
 Streak, potato, 219.
 raspberry, 77, 79.
 tomato, 237.
 Stripe, wheat, 140.
Strumella coryneoides, hickory, 332.
 red oak, 335.
 Sulphur injury, potato, 219.
 Sunburn, beech, 327.
 Sunscald, Norway maple, 333.
 sugar maple, 333.
 Sunscorch, box, 347.
 red pine, 325.
Synchytrium aureum, *Potentilla canadensis*, 376.
 decipiens, *Amphicarpa monoica*, 368.
 endobioticum, potato, 193, 212.

T

- Taphrina coerulescens*, black oak, 336.
 laurel oak, 335.
 live oak, 336.
 northern red oak, 336.
 oak, 336.
 red oak, 335.
 sp., lilac, 355.
Thielavia basicola, bean, 247.
 pea, 283, 284.
 sweet pea, 366.
 tobacco, 293.
 violet, 367.
 paradoxa, sugar cane, 300.

Thielaviopsis paradoxa, coconut, 105.
 pineapple, 101.
 sp., Chinese fan palm, 337.
 palm, 337.
Tilletia laevis, wheat, 110, 382.
 tritici, wheat, 110, 382.
Tipburn, bean, 247.
 lettuce, 277.
 potato, 218, 394.
Trametes pini, Deodar cedar, 320.
 mountain hemlock, 322.
 white pine, 325.
 spp., pine, 326.
Tranzschelia punctata, *Anemone quinquefolia*, 368.
 peach, 49.
 plum, 59.
 prune, 59.
Prunus angustifolia, 49.
Prunus serotina, 2, 50, 63.
 wild cherry, 63.

Tubercularia fici, fig, 100.
Tuberculina persicina, *Gymnoconia interstitialis*, 81.
 Twig blight, elm, 331.
Tylenchus dipsaci, alfalfa, 109, 175, 177.
 clover, 184.
 narcissus, 356.
 phlox, 358.
Phlox decussata, 358.
Phlox suffruticosa, 358.
 strawberry, 73.
 tritici, wheat, 109, 139.

U

Uncinula circinata, red maple, 333.
 clintoni, American linden, 332.
 necator, ampelopsis, 344.
 grape, 66.
 Virginia creeper, 344.
 Undetermined mildew-like disease,
 sweet pea, 366.
 Undetermined powdery mildew, rasp-
 berry, 80.
Uredinopsis mirabilis, great silver
 fir, 321.
Onoclea sensibilis, 375.
 polypodophila, fir, 322.
 pteridis, *Pteridium aquilinum*
 pubescens, 377.
Uredo holwayi, western hemlock, 322.

oxalidis, *Oxalis violacea*, 375.
Urocystis agropyri, *Agropyron repens*,
 190.
 anemones, hepatica, 352.
 cepulae, onion, 248.
 occulta, rye, 109, 145, 384.
 tritici, wheat, 139.
Uromyces acetosae, *Rumex acetosa*, 377.
Rumex acetosella, 377.
Rumex spp., 377.
 appendiculatus, (see *U. vignae*),
 186.
 bean, 245.
 lima bean, 248.
Strophostyles helvola, 379.
Strophostyles pauciflora, 245.
arisaemae, *Arisaema dracontium*,
 369.
 betae, beet, 196, 306.
 caecinodes, *Cimicifuga racemosa*,
 371.
 caryophyllinus, carnation, 347.
 fallens, clover, 182.
 hordei, *Hordeum jubatum*, 190.
 hybridi, alsike clover, 182.
Trifolium hybridum, 182.
 hyperici-frondosi, *Hypericum pro-
 lificum*, 373.
 medicaginis, alfalfa, 179.
 plumbarius, *Gaura biennis*, 372.
 polygoni, *Polygonum erectum*, 376.
 sp., clover, 182.
 spp., clover, 182.
 toxicodendri, poison sumac, 340.
 trifolii, red clover, 182.
Trifolium medium, 182.
Trifolium pratense, 182.
Trifolium repens, 182.
 zigzag clover, 182.
 trifolii-repentis, *Trifolium repens*,
 182.
 white clover, 182.
 vignae, cowpea, 186.
Urophlyctis alfalfae, alfalfa, 180.
Uropyxis amorphae, *Amorpha herbacea*,
 368.
Ustilago avenae, oats, 153, 388.
 craneri, *Chaetochloa italica*, 190.
 heufleri, *Erythronium americanum*,
 372.
 hordei, barley, 147, 386.
 levis, *Avena fatua*, 190.
 oats, 153, 388.

neglecta, *Chaetochloa lutescens*, 190.
 nuda, barley, 148, 386.
 panic-miliacei, *Panicum miliaceum*,
 190.
 perennans, *Arrhenatherum elatius*, 190.
 pustulata, *Panicum dichotomiflorum*,
 190.
 rabenhorstiana, *Syntherisma sanguin-*
alis, 190.
 striaeformis, *Agrostis palustris*, 190.
Agrostis sp., 190.
Dactylis glomerata, 190.
Elymus sp., 190.
Poa pratensis, 190.
Poa sp., 190.
 timothy, 188.
 tritici, rye, 145.
 wheat, 114, 383.
 utriculosa, *Persicaria pennsylvanica*,
 375.
Persicaria persicaria, 376.
 zeae, corn, 161, 390.

V

Valsa ambiens, elm, 331.
leucostoma, peach, 54.
 plum, 59.
 prune, 59.
 nivea, large tooth aspen poplar, 338.
 Lombardy poplar, 339.
 quaking aspen poplar, 339.
 Variegation disease, corn, 169.
Venturia inaequalis, apple, 3, 403.
 pyrina, pear, 39, 406.
 rhododendri, rhododendron, 360.
Vermicularia trichella, English Ivy,
 354.
Verticillium alboatrum, blackberry,
 83.
 eggplant, 307.
 okra, 308.
 raspberry, 76.
 lycopersici, tomato, 224.
 sp., *Aralia racemosa*, 368.
 blackberry, 83.
 Norway maple, 333.
 sugar maple, 333.
Volutella buxi (see *Nectria rousse-*
liana), 346.

W

Weather injury, beech, 327.
 grape, 67.
 peach, 52.
 pear, 40.
 plum, 57.
 prune, 57.
 Western yellow blight, tomato, 196.
 Whiptail, cauliflower, 260.
 White heart, carrot, 307.
 White top alfalfa, 180.
 Wilt, citrus, 96.
 cotton, 290.
 pineapple, 101.
 wallflower, 367.
 Winter injury, apple, 32.
 grape, 67.
 peach, 52.
 pear, 40.
 pecan, 103.
 pittosporum, 359.
 wallflower, 367.
 Witches broom, crapemyrtle, 349.
 potato, 196, 217.
Wojnowicia graminis, wheat, 134.
 Wood decay, Douglas fir, 322.

X

Xylaria spp., apple, 31.

Y

Yellow blight, tomato, 194, 227.
 Yellow dwarf, potato, 193, 218.
 Yellow leaf, cantaloupe, 265.
 Yellow leafspot, corn, 169.
 Yellows, alfalfa, 180.
 China aster, 344.
 chrysanthemum, 348.
Erigeron canadensis, 344.
 345.
 parsnip, 309.
 peach, 50, 104.
 plum, 59.
 prune, 59.
 strawberry, 73.

ERRATA AND EXPLANATION

Page

- 34, 94, 100. Read "Septobasidium pedicellatum" instead of "S. pedicillatum".
- 34 Read "Septobasidium retiforme" instead of "S. retiformis".
- 85 Read "Nectria ditissima" instead of "N. distissima".
- 86 Read "Sclerotinia" instead of "Scleretinia".
- 88 Read "Exobasidium vaccinii" instead of "E. vaccini".
- 93 Read "Colletotrichum" instead of "Golletotrichum".
- 94 Read "Botrytis cinerea" instead of "B. cinera".
- 101 Read "Glomerella cingulata" instead of "Gloeosporium cingulata".
- 135 Read "Colletotrichum graminicolum" instead of "C. graminicolum".
- 140 Read "Epicoccum" instead of "Epicocum".
- 190 Read "Chaetochloa" instead of "Chaerochloa".
- 195 and 285 Peronospora trifoliorum D By. is reported on peas in Wisconsin.
This report is an error due to misinterpretation of a statement by Wisconsin collaborators. As far as we know, therefore, there is only one downy mildew, P. viciae, on pea in this country.
- 246 Read "Phaseolus" instead of "Phaseoli".
- 270 Read "Bacillus tracheiphilus" instead of "Bacterium tracheiphilus".
- 317 Read "Cephalotaxus drupacea" instead of "C. dripaceae".
- 318 Read "Cupressus sempervirens var. pyramidalis" instead of "C. sempervirens var. pyramidalis".

Read "Cupressus sempervirens" instead of "C. sempervirnos".
- 322 Read "Armillaria mellea" instead of "Armillaria mella".
- 325 Read "Pinus resinosa" instead of "Pinus rosinosa".
- 331 Read "Crataegus douglasii" instead of "Cylindrosporium douglasii (Black hawthorn)".
- 332 Read "Uncinula clintonii" instead of "Unicinula clintoni".

Page

- 336 Read "*Quercus rubra ambigua*" instead of "*Q. rubra ambiguii*".
- 338 Read "*Pithecollobium*" instead of "*Pithecollobrium*".
- 339 Read "*Cytospora chrysosperma*" instead of "*C. chrusosperma*".
- 344 and 373 Read "*Puccinia helianthi*" instead of "*P. helanthi*".
- 347 Read "*Phyllosticta auerswaldii*" instead of "*P. suerswaldii*".
- 354 Read "*Rhabdadenia*" instead of "*Rhadbadenia*".
- 366 Read "*Symphoricarpos*" instead of "*Symphoricarpus*".
- 367 Read "*Thielavia basicola*" instead of "*Thielavia basicicola*".
- 368 Read "*Tranzschelia*" instead of "*Tranzschellia*".
- 369 Read "*Boerhaavia erecta*" instead of "*B. errecta*".
- Read "*Boehmeria*" instead of "*Boehmeriae*".
- 370 Read "*Chamaedaphne*" instead of "*Chamaedaphine*".
- 371 Read "*Ceratonia siliqua*" instead of "*Ceratoni siliquum*".
- 373 Read "*Peronospora pygmaea*" instead of "*P. pygmea*".
- 374 Read "*Melilotus*" instead of "*Meliotus*".
- 377 Read "*Rumex*" instead of "*Rumux*".
- 379 Read "*Thalictrum dioicum*" instead of "*T. dioicium*".
- 382 Read "*Gibberella saubinetii*" instead of "*G. saubinetti*".
- 398 Read "*Bacterium solanacearum*" instead of "*Bacillus solanacearum*".
- 401 Under Grape, eliminate "000 omitted" under tons. All figures are in tons of grapes rather than in thousands of tons.

